

WEST

Search Results - Record(s) 1 through 1 of 1 returned.

 1. Document ID: US 5617412 A

L21: Entry 1 of 1

File: USPT

Apr 1, 1997

US-PAT-NO: 5617412

DOCUMENT-IDENTIFIER: US 5617412 A

TITLE: Frame/multiframe structure FDMA system and corresponding signal

DATE-ISSUED: April 1, 1997

INVENTOR-INFORMATION:

NAME	CITY	STATE	ZIP	CODE	COUNTRY
Delprat; Marc	Le Chesnay				FRX
Andrieu; Vianney	Paris				FRX
Gourgue; Frederic	Paris				FRX
Gaydu; Gladys	Rosny Sous Bois				FRX
Nouchi; Charles	Suresnes				FRX

US-CL-CURRENT: 370/281; 370/329, 370/344, 370/496, 370/522



Term	Documents
FRAME.USPT.	503578
FRAMES.USPT.	129812
(20 AND FRAME).USPT.	1
(L20 AND FRAME).USPT.	1

Display Format: [Previous Page](#) [Next Page](#)

WEST[Help](#)[Logout](#)[Interrupt](#)[Main Menu](#) | [Search Form](#) | [Posting Counts](#) | [Show S Numbers](#) | [Edit S Numbers](#) | [Preferences](#) | [Cases](#)**Search Results -**

Term	Documents
FRAME.USPT.	503578
FRAMES.USPT.	129812
(20 AND FRAME).USPT.	1
(L20 AND FRAME).USPT.	1

Database:

US Patents Full-Text Database
US Pre-Grant Publication Full-Text Database
JPO Abstracts Database
EPO Abstracts Database
Derwent World Patents Index
IBM Technical Disclosure Bulletins

Search:

L21

[Refine Search](#)

[Recall Text](#)  [Clear](#)

Search History**DATE: Tuesday, April 02, 2002** [Printable Copy](#) [Create Case](#)

Set Name Query
side by side

DB=USPT; PLUR=YES; OP=ADJ

<u>L21</u>	L20 and frame	1	<u>L21</u>
<u>L20</u>	L19 and mobile	1	<u>L20</u>
<u>L19</u>	successive adj interruption and base adj station	1	<u>L19</u>
<u>L18</u>	presistant adj interruptions and wireless	0	<u>L18</u>
<u>L17</u>	constant adj interruption and wireless	0	<u>L17</u>
<u>L16</u>	continuous adj interruption and wireless	0	<u>L16</u>
<u>L15</u>	continuous adj interruption and cellular	0	<u>L15</u>
<u>L14</u>	L13 and transmitters and receivers	147	<u>L14</u>
<u>L13</u>	L12 and continuous	194	<u>L13</u>
<u>L12</u>	L11 and frame	466	<u>L12</u>
<u>L11</u>	interruption and mobile and base adj station	918	<u>L11</u>
<u>L10</u>	L9 and transmit and receive	7	<u>L10</u>
<u>L9</u>	continuous adj interruption	80	<u>L9</u>
<u>L8</u>	L7 and transmit and receive	2	<u>L8</u>
<u>L7</u>	continuous adj interruption and frame	16	<u>L7</u>
<u>L6</u>	L3 and transmit and receive	1	<u>L6</u>
<u>L5</u>	L3 and base adj station	0	<u>L5</u>
<u>L4</u>	L3 and mobile	0	<u>L4</u>
<u>L3</u>	continuous adj interruption and frame and portion	8	<u>L3</u>
<u>L2</u>	L1 and frame	0	<u>L2</u>
<u>L1</u>	continuous adj interruption and base adj station and mobile	2	<u>L1</u>

Hit Count Set Name
result set